

POLYWHEY® EZ-PRO SEMI GLOSS

Revised Date: 01-14-2016 Supersedes: 02-01-2010

1. Identification

Product identifier PolyWhey® EZ-PRO Semi Gloss

Product type Liquid

Other means of identification

Synonyms None

Product Code -

Recommended useNo information available.
Recommended restrictions
No information available.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier Vermont Natural Coatings

Box 512

Hardwick, VT 05843

United States

General Assistance (802) 472-8700

E-Mail info@vermontnaturalcoatings.com

Contact Person No information available.

Emergency Telephone (802) 472-8700

2. Hazard(s) Identification

OSHA/HCS status This material is not considered as hazardous by the OSHA

Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or

mixture

Not classified.

Physical hazards Not classified Health hazards Not classified

GHS Label elements

Signal word

Hazard statement

Precautionary statement

Hazard(s) not otherwise classified

Not applicable.

Not applicable.

Not applicable.

Not applicable.

None known.

Composition/information on ingredients

Mixture

<u>Chemical name</u>	<u>CAS number</u>	<u>%</u>
Dipropylene glycol n-butylether	29911-28-2	>1 - <u><</u> 3
1,2-Propylene glycol	57-55-6	>1 - <u><</u> 3
Silicon dioxide, chemically prepared	112926-00-8	>0.5 - <2
Triethyl amine	121-44-8	>0.1 - <2
Zinc oxide (ZnO)	1314-13-2	>0.1 - <2

4. First-aid measures

Inhalation Remove to fresh air. Administer oxygen if necessary. Seek

immediate medical attention.

Skin contact Wash thoroughly with soap and water. If irritation persists, get

medical attention.

Eye contact Flush with large quantities of water for at least 15 minutes.

Seek immediate medical attention.

Ingestion Do not induce vomiting. Drink 1 or 2 glasses of water to dilute.

Obtain medical attention immediately.

Most important symptoms/effects,

acute and delayed

No known significant effects or critical hazards.

Indication of immediate medical attention and special treatment

needed

Provide general supportive measures and treat

symptomatically. Keep victim under observation. Symptoms may be delayed. In case of shortness of breath, give oxygen.

Keep victim warm.

General information If exposed or concerned: get medical attention/advice. Ensure

that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated

clothing before re-use.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical

Use an extinguishing agent suitable for the surrounding fire. None known.

Closed containers may explode when exposed to extreme heat or fire. Decomposition of burning material may cause toxic gases to form, which may include carbon dioxide and carbon

monoxide.

Special protective equipment and Special firefighting procedures Self contained breathing apparatus and full protective clothing

must be worn in case of fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Environmental Precautions

Methods and materials for containment and cleaning up

7. Handling and storage

Precautions for safe handling

Conditions for safe storage, including any incompatibilities.

Put on appropriate personal protective equipment (See Section 8).

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

prepared

Triethyl amine PEL(TWA)
Zinc oxide (ZnO) PEL(TWA)



US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

ComponentsTypeValueSilicon dioxide, chemicallyTWA80 mg/m

prepared

Triethyl amine TWA Zinc oxide (ZnO) TWA



US. OSHA Table Z-2 (29 CFR 1910.1000)

None of the components in this product is listed.

US. OSHA Table Z-3 (29 CFR 1910.1000)

None of the components in this product is listed.

US. ACGIH Threshold Limit Values

Components	Туре	Value
Silicon dioxide, chemically	TLV(TWA)	80 mg/m ³
prepared		
Triethyl amine	TLV(TWA)	0.5 ppm
	TLV(ST)	1 ppm
Zinc oxide (ZnO)	TLV(TWA)	2 mg/m ³
	TLV(ST)	10 mg/m ³

US. NIOSH: Pocket Guide to Chemical Hazards

05. NIOSH: Pocket Guide to Chemical Hazards			
Components	Туре	Value	
Silicon dioxide, chemically prepared	REL(TWA)	6 mg/m ³	
Triethyl amine	REL(TWA)	10 ppm	
	REL (STEL)	15 ppm	
Zinc oxide (ZnO)	REL(TWA)	5 mg/m ³	
	REL(Ceiling)	15 mg/m ³	

Protective Equipment





Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side shields.

Skin protection

Thermal hazards

Hand protection Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

> 8 hours (breakthrough time): nitrile rubber

Body protection Personal protective equipment for the body should be selected

based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other Appropriate footwear and any additional skin protection

measures should be selected based on the task being performed and the risks involved and should be approved by a specialist

before handling this product.

Respiratory protectionUse a properly fitted, air-purifying or air-fed respirator

complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Wear appropriate thermal protective clothing, when necessary.

Wear appropriate thermal protective clothing, when necessar Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the

lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the

workstation location.

Physical and chemical properties

General hygiene considerations

Appearance Milky liquid.

Physical stateLiquid.FormLiquid.ColorMilky.

No information available.

135 g/L (maximum)

Odor Slight odor.

Odor threshold No information available. рΗ No information available. **Melting point** No information available. No information available. **Freezing point**

Initial boiling point and boiling range 212 °F Flash point None.

% Volatile by Volume No information available. **Evaporation rate (BuOAc=1)** Slower than ether.

Material Volatile Organic Compound

Coating Volatile Organic Compound

(V.O.C.)

(V.O.C)

Flammability (solid, liquid, gas) None. Upper/lower flammability or explosive limits

> Flammability limit – lower (%) Not applicable. Flammability limit – upper (%) Not applicable.

Explosive limit - lower (%) No information available. Explosive limit - upper (%) No information available.

Vapor pressure (mm Hg) < 1 mm Hg

Vapor density (Air=1) Heavier than air.

Relative density (Specific gravity)

Solubility(ies)

Solubility (water) Dilutable.

Solubility (other) No information available. Partition coefficient (n-octanol/water) No information available.

Auto-ignition temperature None.

Decomposition temperature No information available. No information available. Viscosity

Product is stable. Reactivity

Chemical stability Stable under recommended handling and storage conditions.

Possibility of hazardous reactions Hazardous polymerization will not occur.

Conditions to avoid Elevated temperatures. Contact with oxidizing agent.

1.02

Incompatible materials Oxidizers, acids and bases.

Hazardous decomposition Products Burning or decomposing film may give off carbon dioxide and or

carbon monoxide.

Information on the likely routes of exposure

Ingestion No specific data. **Inhalation** No specific data. Skin contact No specific data. Eye contact No specific data.

Symptoms related to the physical,

chemical and toxicological

characteristics

Delayed and immediate effects and also chronic effects from short- and long-term exposure No specific data.

No known significant effects or critical hazards.

Numerical measures of toxicity

Components	Test	Species	Test Results
Dipropylene glycol n-butylether	Oral LD ₅₀	Rat	1477 mg/kg
(CAS 29911-28-2)	Dermal LD ₅₀	Rabbit	5350 mg/kg
	Inhalation LC ₅₀	Rat	>2.04 mg/l, 4h
1,2-Propylene glycol	Oral LD ₅₀	Rat	22000 mg/kg
(CAS 57-55-6)	Dermal LD ₅₀	Rabbit	>2000 mg/kg
Silicon dioxide, chemically	Oral LD ₅₀	Rat	>5000 mg/kg
prepared	Dermal LD ₅₀	Rabbit	>5000 mg/kg
(CAS 112926-00-8)	Inhalation LC ₅₀	Rat	0.69 mg/l , 4h
Triethyl amine (CAS 121-44-8)	Oral LD ₅₀	Rat	730 mg/kg
	Dermal LD ₅₀	Rabbit	580 mg/kg
	Inhalation LC ₅₀	Rat	7.1 mg/l, 4h
Zinc oxide (CAS 1314-13-2)	Oral LD ₅₀	Rat	>8437 mg/kg

Dermal LD₅₀

Skin corrosion/irritation

Serious eye damage/eye irritation Respiratory or skin sensitization

Respiratory sensitization Skin sensitization

Germ cell mutagenicity Carcinogenicity

Reproductive toxicity

Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Aspiration hazard

No information available. No information available.

No information available. No information available.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No information available.

Causes damage to kidney, spleen, and blood through

Rabbit

prolonged or repeated exposure.

No information available.

12. Ecological information

Numerical measures of toxicity

ComponentsTestSpeciesTest ResultsDipropylene glycol n-
butyletherFish LC50Guppy fish841 mg/l, 96h(CAS 29911-28-2)CrustaceaVelocilia reticulata)>1000 mg/l, 48h

Crustacea EC₅₀

Algae EC₅₀ G

Green algae (Selenastrum capricornutum)

33.65 mg/l, 96h

>5000 mg/kg

1,2-Propylene glycol	Fish LC ₅₀	Rainbow trout	40613mg/l, 96h
(CAS 57-55-6)	Crustacea	(Oncorhynchus mykiss) Water flea	13020 mg/l, 7d
	NOEC	(Ceriodaphnia sp.)	
	Algae NOEC	Green algae (Pseudokirchnerella subcapitata)	15000 mg/l, 14d
Silicon dioxide, chemically	Fish LC ₅₀	Zebra fish	>1000 mg/l, 96h
prepared (CAS 112926-00-8)	Crustasaa	(Brachydanio rerio)	>1000 mg/L 24h
(CAS 112520-00-8)	Crustacea EC ₅₀	Daphnia maana	>1000 mg/l, 24h
Triethyl amine	Fish LC ₅₀	Orange-red killifish	24 mg/l, 96h
(CAS 121-44-8)	Carretones	Oryzias latipes	17 m ~ /L 10h
	Crustacea EC ₅₀	(Daphnia dubia)	17 mg/l, 48h
	Algae EC ₅₀	Green algae	8 mg/l, 72h
	7 11 gae 2 C 50	(Pseudokirchnerella subcapitata)	0 1116/11, 7211
Zinc oxide (ZnO)	Fish LC ₅₀	Fathead minnow	2,246 mg/l, 96h
(CAS 1314-13-2)		(Pimephales Promelas)	
	Crustacea	Water flea	24.6 mg/l, 48h
	EC ₅₀	(Daphnia magna)	
Persistence and degradabili	ity No	information available.	
Bioaccumulative potential	•	information available.	
Mobility in soil	No	information available.	
Other adverse effects	No	information available.	

13. Disposal considerations

Disposal instructions

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Dispose of in accordance with Federal, State and Local regulations. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

In accordance with DOT	Not regulated for transport.
In accordance with IMDG	Not regulated for transport.
In accordance with IATA	Not regulated for transport.

15. Regulatory information

US federal regulations This product is not a "Hazardous Chemical" as defined by

the OSHA Hazard Communication Standard, 29 CFR

1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None of the chemicals in this product is listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Silicon dioxide, chemically prepared Listed

(CAS 112926-00-8)

Triethyl amine (CAS 121-44-8) Listed Zinc oxide (ZnO) (CAS 1314-13-2) Listed

CERCLA Hazardous Substance List (40 CFR 302.4)

Triethyl amine (CAS 121-44-8) Liste

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302/304 Extremely hazardous substance

None of the chemicals in this product is listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical NameCAS number% by wtTriethyl amine121-44-8>0.1 - <1</td>

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Triethyl amine (CAS 121-44-8)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None of the chemicals in this product is listed.

Safe Drinking Water Act (SDWA)

Triethyl amine (CAS 121-44-8)

US State regulations

US. New Jersey Worker and Community Right-to-Know Act

1,2-Propylene glycol (CAS 57-55-6)

Silicon dioxide, chemically prepared(CAS 112926-00-8)

Triethyl amine (CAS 121-44-8)

Zinc oxide (ZnO) (CAS 1314-13-2)

US. Pennsylvania Worker and Community Right-to-Know Law

1,2-Propylene glycol (CAS 57-55-6)

Triethyl amine (CAS 121-44-8)

Zinc oxide (ZnO) (CAS 1314-13-2)

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT):

None of the chemicals in this product is listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non- Domestic Substances List (NDSL)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes


^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Other information, including date of preparation or last revision

 Issue date
 01-10-2014

 Revision date
 01-14-2016

Version # NFPA rating



Key to abbreviations ACGIH: Documentation of the Threshold Limit Values and

Biological Exposure indices

GHS: Globally Harmonized System of Classification and

Labelling of Chemicals

IATA :International Air Transport Association IMDG : International Maritime Dangerous Goods

NIOSH: The National Institute for Occupational Safety and

Health

OSHA: Occupational Safety and Health Administration

Disclaimer

The information, recommendations, and suggestions presented in this SDS are based upon test results and data believed to be reliable. The end user of the product has the responsibility for evaluating the adequacy of the data under the conditions of use, determining the safety, toxicity and suitability of the product under these conditions, and obtaining additional or clarifying information where uncertainty exists. No guarantee expressed or implied is made as to the effects of such use, the results to be obtained, or the safety and toxicity of the product in any specific application. Furthermore, the information herein is not represented as absolutely complete, since it is not practicable to provide all the scientific and study information in the format of this document, plus additional information may be necessary under exceptional conditions of use, or because of applicable laws or government regulations. All materials may present unknown hazards and should be used with caution.

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).